



BARRON COUNTY SHERIFF'S DEPARTMENT
OFFICE OF EMERGENCY SERVICES



LOCAL EMERGENCY PLANNING COMMITTEE (LEPC)

THURSDAY, January 29, 2026 – 9:00 a.m.
BARRON COUNTY JUSTICE CENTER (EOC)

COMMITTEE MEMBERS PRESENT IN PERSON:

Louie Okey, Barron County Board. Mike Judy, Barron County Emergency Management. Nate Dunston, Emergency Management – Medical Examiner. Melissa Miller, Mayo Clinic Health System. Jeff French, Barron County Administrator. Craig Turcott, Barron County Supervisor. Jamie McCready, Barron County Supervisor. Neil Shipley, Barron School District. Matt Feeny, Cumberland EMS. Patricia Wickman, Barron County Health Officer. Tyler Gruetzmacher, Barron County Soil & Water. Sue Dau, Barron Electric Cooperative. Barry Kuenkel, Cumberland Fire Department. Travis Klukas, Mayo Clinic Health System. Jade Merrill, St. Croix Emergency Management.

Additional Attendees:

Luong Huynh, Red Cross.

CALL TO ORDER

- Chair Louie Okey called the meeting to order at 09:00 am.

PUBLIC NOTIFICATION

- LEPC Secretary Nate Dunston read the Public Meeting Notification.

APPROVAL OF AGENDA

- Mike Judy asked the Committee to move the Annual EM report before the Chetek Dam EAP review.
- Jamie McCready made the motion to move the Annual EM Report and to approve the agenda, seconded by Matt Feeny, motion carried.

APPROVAL OF MINUTES FROM THE PREVIOUS MEETING OF OCTOBER 30, 2025.

- Melissa Miller made the motion to approve the minutes as written, seconded by Craig Turcott, motion carried.

PUBLIC COMMENT

- None.

SPILL REVIEWS

- None

RESPONSE REIMBURSEMENTS

- None.

ANNUAL EMERGENCY MANAGEMENT REPORT REVIEW

- Mike Judy reviewed the annual report with the committee.

CHETEK DAM EMERGENCY ACTION PLAN (EAP) REVIEW

- Tyler Gruetzmacher gave a presentation on the Chetek DAM EAP.

LEPC MEMBER UPDATES

- None.

COMMITTEE SUGGESTIONS FOR FUTURE AGENDAS

- Tour of Highway Facilities
- Mayo Clinic Health System HVA
- Cumberland Healthcare HVA



BARRON COUNTY SHERIFF'S DEPARTMENT
OFFICE OF EMERGENCY SERVICES



NEXT MEETING SCHEDULED FOR THURSDAY, APRIL 30, IN THE EOC AT 09:00.

ADJOURNMENT

- Chair Okey, 09:51, declared the meeting adjourned by unanimous consent.

Respectfully Submitted,
Nate Dunston, LEPC Secretary

DRAFT



Michael Judy <michael.judy@co.barron.wi.us>

WI SPILL #23479 ID 20260417NO03-1 - MANURE

dnrlehotline@wisconsin.gov <dnrlehotline@wisconsin.gov>
To: michael.judy@co.barron.wi.us

Fri, Apr 17, 2026 at 11:47 AM

SERTS ID:
20260417NO03-1

Reported:
04/17/2026 11:37

Occurred:
04/16/2026 17:00

Substance:
MANURE

AMOUNT RELEASED AND
AMOUNT RECOVERED ARE
UNKNOWN AT THIS TIME

Reported by:
JEFF SALZBURY
(715) 296-4407

Location:
NO REGION
BARRON COUNTY
PRAIRIE FARM, VILLAGE OF
SPILL LOCATION
582 4 1/2 AVE
FARM
<https://www.google.com/maps/place/582%204%201%202%20AVE%20PRAIRIE%20FARM,%20WI>

Responsible Party:
MIKE STAFNE
582 4 1/2 AVE
PRAIRIE FARM, WI
(715) 418-0808

Cause:
EQUIPMENT FAILURE

Cause Description:
VALVE OPENED UP ON A TRACTOR AND A HOSE HAD POPPED OFF

Environmental Impact:
SPILLED INTO DITCH

Comments:
60 FT STRETCH - MAYBE A FEW HUNDRED GALLONS
JEFF WAS CALLING ON BEHALF OF THE FARMER. HE ASSISTED IN CLEAN-UP

Cleanup:
VAC TRUCK SUCKED UP THE MANURE AND WATER THAT WAS IN THE DITCH
THEY ARE GOING TO BACKHOE THE REST OUT

Notified RSC ELLIE ROMFOE - SPOKE TO AT 11:43AM by Phone



Michael Judy <michael.judy@co.barron.wi.us>

WI SPILL #23409 ID 20260406NO03-1 - SEPTAGE [SEWAGE]

1 message

dnrlehotline@wisconsin.gov <dnrlehotline@wisconsin.gov>

Mon, Apr 6, 2026 at 6:12 PM

To: michael.judy@co.barron.wi.us

SERTS ID:
20260406NO03-1

Reported:
04/06/2026 18:06

Occurred:
04/06/2026 17:40

Substance:
SEPTAGE [SEWAGE]

AMOUNT RELEASED AND
AMOUNT RECOVERED ARE
UNKNOWN AT THIS TIME

Reported by:
DISPATCH
000340-2132
DNR VIOLATION HOTLINE
(800) 847-9367

Location:
NO REGION
BARRON COUNTY
TURTLE LAKE, TOWNSHIP OF
DRIVEWAY
798 1ST ST
<https://www.google.com/maps/place/798%201st%20St%20TURTLE%20LAKE,%20WI>

Responsible Party:
JOSH MORGENSTERN
798 1ST ST
CLAYTON, WI 54004
(000) 000-0000

Cause:
INTENTIONAL OR ILLEGAL ACT (DUMPING)

Cause Description:
MORGENSTERN IS PUMPING SEWAGE ACROSS HIS DRIVEWAY TO THE SOUTH.

Environmental Impact:
SEWAGE PUMPED ONTO LAND.

Comments:
SPOKE WITH WARDEN KOSHATKA, PHONE NUMBER (715) 416-8945.

Cleanup:
CLEAN-UP PROGRESS UNKNOWN OR CLEAN-UP NOT STARTED.

Notified SPILL COORDINATOR TREVOR BANNISTER by Phone



Michael Judy <michael.judy@co.barron.wi.us>

WI SPILL #23314 ID 20260316NO03-1 - PROCESS WATER [WASTEWATER] *EVAC*

1 message

dnrlehotline@wisconsin.gov <dnrlehotline@wisconsin.gov>

Mon, Mar 16, 2026 at 12:03 PM

To: michael.judy@co.barron.wi.us

**** EVACUATION ****

SERTS ID:
20260316NO03-1

Reported:
03/16/2026 11:38

Occurred:
03/12/2026 12:30

Substance:
PROCESS WATER [WASTEWATER]
Released Amt: 500 Gal
Recovered Amt: 500 Gal
(AMOUNTS ARE OFTEN ESTIMATED)

Reported by:
COURTNEY BARNES
ENVIRONMENTAL ENGINEER
3M CUMBERLAND
cbarnes2@mmm.com
(715) 822-6556

Location:
NO REGION
BARRON COUNTY
CUMBERLAND, CITY OF
MANUFACTURING FACILITY 3M CUMBERLAND
1640 WESTERN AVE CUMBERLAND
<https://www.google.com/maps/place/1640%20WESTERN%20AVE%20CUMBERLAND%20CUMBERLAND,%20WI>

Responsible Party:
3M CUMBERLAND
1640 CUMBERLAND AVE
CUMBERLAND, WI 54829
(715) 822-6556

Cause:
OPERATOR ERROR

Cause Description:
PART OF THE FIRE SYSTEM WATER SYSTEM WHICH HAS BEEN SHOWN TO CONTAIN PFAS. 500 GALS OF THE SPILL TOOK PLACE INDOORS BUT A PORTION WENT IN TO THE EMPLOYEYEE PARKING LOT AND THAT AMOUNT IS UNKNOWN AND IT EVAPORATED BEFORE IT COULD BE CLEANED UP. POSSIBLY A FORKLIFT ACCIDENT. EVACUATION ALARM DID GO OFF.

Environmental Impact:
NO

Evacuation:
100 PERSON(S)

Weather:
COLD

Cleanup:
FLOOR CLEANING EQUIPMENT. AFTER GETTING EVERYONE BACK INSIDE OUTDOOR SPILL EVAPORATED.

Notified CALLED AND S/W ELLIE ROMFOE by Phone

Submitted by:
MARY FICHTER
(800) 943-0003
dnrlehotline@wisconsin.gov

Sent to:

- aleshia_kenney@fws.gov
- anthony.knipfer@wisconsin.gov
- bart.sponseller@wisconsin.gov
- bbyrne@glifwc.org
- bradleya.johnson@wisconsin.gov
- brian.cockerham@widma.gov
- brownfields@badriver-nsn.gov
- carl.stenbol@widma.gov
- caroline.rice@wisconsin.gov
- carson.johnson@wisconsin.gov
- cbarnes2@mmm.com
- christine.sieger@wisconsin.gov
- christopher.saari@wisconsin.gov
- claire.oconnell@wisconsin.gov
- cliffordb@stcroixojibwe-nsn.gov
- codyw.heinze@wisconsin.gov
- connor.mulcahy@wisconsin.gov
- danielle.wincentsen@wisconsin.gov
- david.neste@wisconsin.gov
- dee.allen@ldftribe.com
- dhsdphchemresponse@dhs.wisconsin.gov
- dmawemdutyofficer@widma.gov
- dmawhoprs@widma.gov
- dnrledo@wisconsin.gov
- dnrlehotline@wisconsin.gov
- echapman@ldftribe.com
- elizabeth.romfoe@wisconsin.gov
- eric.struck@wisconsin.gov
- erik.olson@redcliff-nsn.gov
- evan.gruszka@wisconsin.gov
- falou.french@wisconsin.gov
- grieve.malcolm@epa.gov
- hendrickson.colin@epa.gov
- issac.ross@wisconsin.gov
- jane.pfeiffer@wisconsin.gov
- jeffrey.paddock@wisconsin.gov
- john.sager@wisconsin.gov
- john_nelson@ios.doi.gov
- joseph.vanrossum@wisconsin.gov
- joshua.lambert@wisconsin.gov
- josie.hanrahan@wisconsin.gov
- katie.praedel@wisconsin.gov
- kaylin.felix@wisconsin.gov
- khanson@ldftribe.com
- kondreck.robert@epa.gov
- ldfthpo@ldftribe.com
- linda.nguyen@redcliff-nsn.gov
- lindsey.long@wisconsin.gov
- luke.reuteman@wisconsin.gov
- maizie.reif@wisconsin.gov



Michael Judy <michael.judy@co.barron.wi.us>

WI SPILL #23299 ID 20260312NO03-1 - HYDRAULIC OIL

dnrlehotline@wisconsin.gov <dnrlehotline@wisconsin.gov>
To: michael.judy@co.barron.wi.us

Thu, Mar 12, 2026 at 11:43 AM

SERTS ID:
20260312NO03-1

Reported:
03/12/2026 11:34

Occurred:
03/11/2026 16:15

Substance:
HYDRAULIC OIL
Released Amt: 20 Gal
Recovered Amt: 20 Gal
(AMOUNTS ARE OFTEN ESTIMATED)

Reported by:
ALANA HAUMERSEN
ENVIRONMENTAL COMPLIANCE SPECIALIST
SOURCE ENERGY SERVICES
ahaumersen@sourceenergyservices.com
(715) 495-2390
Also RP Contact

Location:
NO REGION
BARRON COUNTY
CAMERON, VILLAGE OF
INDUSTRIAL SANDMINE
2595 US HIGHWAY 8
INSIDE THE MINE
<https://www.google.com/maps/place/2595%20US%20Highway%208%20CAMERON,%20WI>

Responsible Party:
SOURCE ENERGY SERVICES
3430 OAKWOOD MALL DR
EAU CLAIRE, WI 54701
(715) 514-3887

Cause:
HYDRAULIC LINE BREAK

Cause Description:
O-RING FAILED IN THE LINE

Environmental Impact:
DISCHARGED ONTO A SAND SURFACE.

Cleanup:
CONTAINERIZED THE CONTAMINATED SAND.

Notified ELLIE ROMFOE by Phone

Submitted by:
STEPHEN LEDERER



Michael Judy <michael.judy@co.barron.wi.us>

WI SPILL #23218 ID 20260219NO03-1 - OTHER: CONCRETE WASH WATER

1 message

dnrlehotline@wisconsin.gov <dnrlehotline@wisconsin.gov>
To: michael.judy@co.barron.wi.us

Thu, Feb 19, 2026 at 1:13 PM

SERTS ID:
20260219NO03-1

Reported:
02/19/2026 12:49

Occurred:
02/19/2026 09:00

Substance:
OTHER: CONCRETE WASH WATER
CONCRETE WASH WATER
Released Amt: 50 Gal
Recovered Amt: 50 Gal
(AMOUNTS ARE OFTEN ESTIMATED)

Reported by:
JEFF JOHNSON
NORTHERN WI ENVIRONMENTAL MANAGER
TODD'S REDI-MIX
(715) 450-5479
Also RP Contact

Location:
NO REGION
BARRON COUNTY
CHETEK, CITY OF
INTERSECTION OF TAITER ST AND 2ND ST
INTERSECTION OF PAINTER ST AND 2ND ST
LAT: 45.312642 LONG: -91.65138
<https://www.google.com/maps/place/45.312642,-91.65138>

Responsible Party:
TODD'S REDI-MIX
1770 23RD ST
RICE LAKE, WI
(715) 234-2626

Cause:
HUMAN ERROR

Cause Description:
SUBSTANCE IS CONCRETE WASH WATER USED TO WASH TRUCKS WITH - REMNANTS OF CONCRETE MIX.
TODD'S REDI-MIX DRIVER ACCIDENTALLY PUSHED DISCHARGE BUTTON.

Environmental Impact:
NONE - STAYED WITHIN CURBING AREA, PUT SAND DOWN SO NONE WENT DOWN STORM DRAIN.

Weather:
CLOUDY

Cleanup:
PUT SAND DOWN, SPILL STAYED WITHIN CURBING. FLOOR DRY AND SPRAYED CURBING AREA - WASHED

WITH CLEAN WATER

Notified SPOKE WITH ELLIE ROMFOE by Phone

Submitted by:
ALEXIS SARROL
(800) 943-0003
dnrlehotline@wisconsin.gov

Sent to:
aleshia_kenney@fws.gov
anthony.knipfer@wisconsin.gov
bart.sponseller@wisconsin.gov
bbyrne@glifwc.org
bradleya.johnson@wisconsin.gov
brian.cockerham@widma.gov
brownfields@badriver-nsn.gov
carl.stenbol@widma.gov
caroline.rice@wisconsin.gov
carson.johnson@wisconsin.gov
christine.sieger@wisconsin.gov
christopher.saari@wisconsin.gov
claire.oconnell@wisconsin.gov
cliffordb@stcroixojibwe-nsn.gov
codyw.heinze@wisconsin.gov
connor.mulcahy@wisconsin.gov
danielle.wincentsen@wisconsin.gov
david.neste@wisconsin.gov
dee.allen@ldftribe.com
dhsdphchemresponse@dhs.wisconsin.gov
dmawemdutyofficer@widma.gov
dmawhoprs@widma.gov
dnrledo@wisconsin.gov
dnrlehotline@wisconsin.gov
echapman@ldftribe.com
elizabeth.romfoe@wisconsin.gov
eric.struck@wisconsin.gov
erik.olson@redcliff-nsn.gov
evan.gruszka@wisconsin.gov
falon.french@wisconsin.gov
grieve.malcolm@epa.gov
hendrickson.colin@epa.gov
issac.ross@wisconsin.gov
jane.pfeiffer@wisconsin.gov
jeffrey.paddock@wisconsin.gov
john.sager@wisconsin.gov
john_nelson@ios.doi.gov
joseph.vanrossum@wisconsin.gov
joshua.lambert@wisconsin.gov
josie.hanrahan@wisconsin.gov
katie.praedel@wisconsin.gov
kaylin.felix@wisconsin.gov
khanson@ldftribe.com
kondreck.robert@epa.gov
ldfthpo@ldftribe.com
linda.nguyen@redcliff-nsn.gov
lindsey.long@wisconsin.gov
luke.reuteman@wisconsin.gov
maizie.reif@wisconsin.gov
matthewa.thompson@wisconsin.gov
michael.judy@co.barron.wi.us
natashak.gwidt@wisconsin.gov
nathan.kloczko@dhs.wisconsin.gov
nicholas.ramos@wisconsin.gov



Michael Judy <michael.judy@co.barron.wi.us>

WI SPILL #23139 ID 20260130NO03-1 - OTHER: REGULAR GASOLINE AND DIESEL FUEL

dnrlehotline@wisconsin.gov <dnrlehotline@wisconsin.gov>

Fri, Jan 30, 2026 at 2:58 PM

To: michael.judy@co.barron.wi.us

SERTS ID:
20260130NO03-1Reported:
01/30/2026 14:46Occurred:
01/30/2026 14:00Substance:
OTHER: REGULAR GASOLINE AND DIESEL FUEL
REGULAR GASOLINE AND DIESEL FUELAMOUNT RELEASED AND
AMOUNT RECOVERED ARE
UNKNOWN AT THIS TIMEReported by:
KEVIN NESTINGEN
ENVIRONMENTAL MANAGER
KWIK TRIP
knestingen@kwiktrip.com
(608) 793-6464
Also RP ContactLocation:
NO REGION
BARRON COUNTY
CHETEK, CITY OF
KWIK TRIP #602
324 2ND ST, CHETEK, WI 54728
AT THE FRONT OF THE STORE
<https://www.google.com/maps/place/324%202nd%20St,%20Chetek,%20WI%2054728%20CHETEK,%20WI>Responsible Party:
KWIK TRIP
324 2ND ST, CHETEK
CHETEK, WI 54728
(608) 793-6464Cause:
OTHER CAUSECause Description:
DURING A FUEL UPGRADE AT THE STORE, A CITY WATER MAIN BROKE. WATER ACCUMULATED AN
EXCAVATION SITE AND DISPLACED FUEL FROM THE TANKS.Environmental Impact:
IMPACTED SOIL SURROUNDING THE TANKS.Contractor:
ANDY DELFORGE

(715) 675-9784

Contractor Company:
REI ENGINEERING

Comments:
DURING A FUEL UPGRADE AT THE STORE, A CITY WATER MAIN BROKE. WATER ACCUMULATED AN EXCAVATION SITE AND DISPLACED FUEL FROM THE TANKS.

Cleanup:
SPILL RESPONSE VENDOR VISITED THE SITE AND THEY DID NOT BELIEVE IT WAS A MAJOR SPILL. AN EXCAVATION CONTRACTOR WILL BE ON SITE NEXT WEEK. REI ENGINEERING IS THE SPILL RESPONSE VENDOR. THE EXCAVATING CONTRACTOR IS CONCRETE SOLUTIONS. NO PHONE NUMBER AVAILABLE FOR THE EXCAVATING CONTRACTOR.

Notified ELLIE ROMFOE by Phone

Submitted by:
STEPHEN LEDERER
(800) 943-0003
dnrlehotline@wisconsin.gov

Sent to:

- aleshia_kenney@fws.gov
- anthony.knipfer@wisconsin.gov
- bart.sponseller@wisconsin.gov
- bbyrne@glifwc.org
- bradleya.johnson@wisconsin.gov
- brian.cockerham@widma.gov
- brownfields@badriver-nsn.gov
- carl.stenbol@widma.gov
- caroline.rice@wisconsin.gov
- carson.johnson@wisconsin.gov
- christine.sieger@wisconsin.gov
- christopher.saari@wisconsin.gov
- claire.oconnell@wisconsin.gov
- cliffordb@stcroixojibwe-nsn.gov
- codyw.heinze@wisconsin.gov
- connor.mulcahy@wisconsin.gov
- danielle.wincenten@wisconsin.gov
- david.neste@wisconsin.gov
- dee.allen@ldftribe.com
- dhsdphchemresponse@dhs.wisconsin.gov
- dmawemdutyofficer@widma.gov
- dmawhoprs@widma.gov
- dnrledo@wisconsin.gov
- dnrlehotline@wisconsin.gov
- echapman@ldftribe.com
- elizabeth.romfoe@wisconsin.gov
- eric.struck@wisconsin.gov
- erik.olson@redcliff-nsn.gov
- evan.gruszka@wisconsin.gov
- falon.french@wisconsin.gov
- grieve.malcolm@epa.gov
- hendrickson.colin@epa.gov
- issac.ross@wisconsin.gov
- jane.pfeiffer@wisconsin.gov
- jeffrey.paddock@wisconsin.gov
- john.sager@wisconsin.gov
- john_nelson@ios.doi.gov
- joseph.vanrossum@wisconsin.gov
- joshua.lambert@wisconsin.gov
- josie.hanrahan@wisconsin.gov
- katie.praedel@wisconsin.gov



Michael Judy <michael.judy@co.barron.wi.us>

WI SPILL #23131 ID 20260129NO03-1 - GASOLINE

alexander.krause@wisconsin.gov <alexander.krause@wisconsin.gov>
To: michael.judy@co.barron.wi.us

Thu, Jan 29, 2026 at 2:13 PM

SERTS ID:
20260129NO03-1

Reported:
01/29/2026 13:55

Occurred:
01/29/2026 13:15

Substance:
GASOLINE

AMOUNT RELEASED AND
AMOUNT RECOVERED ARE
UNKNOWN AT THIS TIME

NRC No.:
1453664

Reported by:
ANONYMOUS

Location:
NO REGION
BARRON COUNTY
RICE LAKE, CITY OF
CINERGY COOK GAS STATION
2022 CENEX DR
<https://www.google.com/maps/place/2022%20Cenex%20Dr%20RICE%20LAKE,%20WI>

Responsible Party:
CINERGY COOK GAS STATION
2022 CENEX DR
RICE LAKE, WI 54868
(715) 736-0800

Cause:
EQUIPMENT FAILURE

Cause Description:
THE CALLER DISCOVERED A RELEASER OF GASOLINE, ONTO THE GROUND, FROM ALL THE PUMPS AT THE STATION. THE CALLER STATES THAT THEY NOTICED A RELEASE OF GASOLINE FROM PUMP 6 AND NOTIFIED AN EMPLOYEE, WHO THEN STATED THAT ALL THE PUMPS LEAK. CALLER STATES THAT THE EMPLOYEE WAS NOT CONCERNED WITH THE INCIDENT.

Environmental Impact:
IMPACT
FIRE INVOLVED: NO FIRE EXTINGUISHED: UNKNOWN

INJURIES: NO SENT TO HOSPITAL: EMPL/CREW: PASSENGER:
FATALITIES: NO EMPL/CREW: PASSENGER: OCCUPANT:
EVACUATIONS:NO WHO EVACUATED: RADIUS/AREA:

DAMAGES: NO

	HOURS	DIRECTION OF	
CLOSURE TYPE	DESCRIPTION OF CLOSURE	CLOSED	CLOSURE

AIR: NO

ROAD: NO

MAJOR ARTERY:NO

WATERWAY:NO

TRACK: NO

PASSENGERS TRANSFERRED: NO
ENVIRONMENTAL IMPACT: NO
MEDIA INTEREST: NONE

Weather:
COLD

Cleanup:
NONE
RELEASE SECURED: NO
RELEASE RATE:
ESTIMATED RELEASE DURATION:

Notified DNR - ELLIE ROMFOE - SPOKE WITH ON PHONE by Phone

Submitted by:
ALEXANDER KRAUSE
(800) 943-0003
alexander.krause@wisconsin.gov

Sent to:

- aleshia_kenney@fws.gov
- anthony.knipfer@wisconsin.gov
- bart.sponseller@wisconsin.gov
- bbyrne@glifwc.org
- bradleya.johnson@wisconsin.gov
- brian.cockerham@widma.gov
- brownfields@badriver-nsn.gov
- carl.stenbol@widma.gov
- caroline.rice@wisconsin.gov
- carson.johnson@wisconsin.gov
- christine.sieger@wisconsin.gov
- christopher.saari@wisconsin.gov
- claire.oconnell@wisconsin.gov
- cliffordb@stcroixojibwe-nsn.gov
- codyw.heinze@wisconsin.gov
- connor.mulcahy@wisconsin.gov
- danielle.wincentzen@wisconsin.gov
- david.neste@wisconsin.gov
- dee.allen@ldftribe.com
- dhsdphchemresponse@dhs.wisconsin.gov
- dmawemdutyofficer@widma.gov
- dmawhoprs@widma.gov
- dnrledo@wisconsin.gov
- dnrlehotline@wisconsin.gov
- echapman@ldftribe.com
- elizabeth.romfoe@wisconsin.gov
- eric.struck@wisconsin.gov
- erik.olson@redcliff-nsn.gov
- evan.gruszka@wisconsin.gov